GOVERNMENT NOTICES • GOEWERMENTSKENNISGEWINGS

DEPARTMENT OF HEALTH

NO. 119 10 FEBRUARY 2020

FOODSTUFFS, COSMETICS AND DISINFECTANTS ACT, 1972 (ACT 54 OF 1972)

REGULATIONS GOVERNING THE MAXIMUM LIMITS FOR PESTICIDE RESIDUES THAT MAY BE PRESENT IN FOODSTUFFS: AMENDMENT

I, Dr ZL Mkhize, the Minister of Health, in terms of section 15 (1) of the Foodstuffs, Cosmetics and Disinfectants Act, 1972 (Act No. 54 of 1972), made the Regulations in the Schedule.

SCHEDULE

In these regulations, the Regulations, means the regulations published under Government Notice No. R. 246 of 11 February 1994, as corrected by Government Notice No. R. 1148 of 26 August 1994 and amended by the Government Notices No. R. 494 of 8 June 2001, No. R. 525 of 3 May 2002, No. R. 247 of 24 March 2005, No. R. 1047 of 20 October 2006, No. R. 548 of 17 June 2010 and No. R. 46 of 19 January 2012.

Amendment of Schedule to the Regulations

- Regulation 1 of the Regulations is hereby amended by—
- (a) the insertion of the following definitions—
 - "berries group" means blueberries, blackberries, cranberries, dewberries (including boysenberry and loganberry), gooseberries, raspberries, blackcurrants and currants, unless otherwise stated;
 - "brassica vegetables or cruciferae" means Brussels sprouts, broccoli, cabbage (including all varieties), kale, kohlrabi, cauliflower, pakchoi and collards, unless otherwise stated;

"citrus group" means lemons, limes, grapefruits or pomelos, oranges, mandarins (including clementines, satsumas, naartjies and tangerines) and tangelos, unless otherwise stated;

"cucurbits group" means melons, musk melons, butternuts, cantaloupes, watermelon, pumpkins, squashes (including summer and winter squash), patty pans, gourds, zucchini, cucumbers and gherkins, unless otherwise stated;

"leafy vegetables" means Chinese spinach, endive, celery, fennel, parsley, rhubarb, Swiss chard, mustard and rape, unless otherwise stated;

"leguminous beans group" means beans, broad beans, cow peas, chick peas, garden peas, pigeon peas, and peas (peas or beans means shelled, with pods, whole, unshelled, without pods or dry), unless otherwise stated;

"onion bulb group" means all varieties of bulb onions, spring onions, shallots, chives, garlic and leeks, unless otherwise stated;

"pepper group" means peppers, paprika, chillies, okra, pepino and egg plants, unless otherwise stated;

"root and tuber vegetables group" means artichoke, parsnips, sugar beet, garden beet, beetroot, yams, turnips, sweet potatoes, cassava, garden radish, radishes, horseradish and chicory, unless otherwise stated;

"stone fruits" means apricots, cherries (sweet and sour), nectarines, peaches, plums and prunes, unless otherwise stated;

"tree nuts" means almonds, cashews, chestnuts, hazelnuts, macadamia nuts, pecans, pistachio nuts, walnuts, coconuts, Brazil nuts and pine nuts, unless otherwise stated;

- (b) the deletion of the following definitions—
 - "beans" means, in the case of green beans, the bean plus the pod and, in the case of dry beans, the bean without the pod;
 - "citrus fruits" means lemons, limes, grapefruit, oranges, mandarins (including lementines and tangerines) and tangelos, unless otherwise stated;
 - "cruciferae" means cabbage, cauliflower, broccoli and Brussels sprouts;
 - "cucurbits" means melons, squashes, cucumbers and pumpkins;
 - "peas" means peas without the shell;
 - "peas(whole)"means the unshelled peas; and
 - "stone fruits" means apricots, cherries, nectarines, peaches, plums and prunes, unless otherwise stated.
- 3. The Annex to the Regulations is hereby amended by-
- (a) the insertion of the following particulars—

| I | Ш | III |
|--------------------|--|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| Abamectin | Apricots | 0.02 |
| | Brassica vegetables or cruciferae | 0.01 |
| | Peaches | 0.02 |
| | Soya beans | 0.02 |
| | Stone fruits (except peaches and apricots) | 0.01 |
| | Sugar cane | 0.01 |
| Acephate | Avocados | 0.01 |
| | Citrus group | 0.2 |
| Acetamiprid | Potatoes | 0.02 |
| | Rooibos | 0.01 |
| | Soya beans | 0.15 |
| | Stone fruits | 0.2 |
| | Sugar cane | 0.05 |

| I | II | III |
|----------------------------|-----------------------------------|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| Alpha-Cypermethrin (sum of | Rooibos | 0.05 |
| isomers) | | |
| Amicarbazone | Sugar cane | 0.01 |
| Aminopyralid | Barley | 0.01 |
| | Maize | 0.02 |
| | Wheat | 0.01 |
| Atrazine | Canola | 0.02 |
| Azoxystrobin | Barley | 1.5 |
| | Brassica vegetables or cruciferae | 5.0 |
| | Canola | 0.1 |
| | Celery | 5.0 |
| | Cucurbits group | 1.0 |
| | Leguminous beans group | 3.0 |
| | Mange tout | 0.5 |
| | Olives | 0.05 |
| | Onion bulb group | 10.0 |
| | Root and tuber vegetables group | 0.03 |
| | Sorghum | 3.0 |
| | Soya beans | 0.05 |
| | Stone fruits | 2.0 |
| | Strawberries | 5.0 |
| | Sugar cane | 0.5 |
| | Sunflower | 0.01 |
| | Tree nuts | 0.01 |
| | Wheat | 0.2 |
| Beta cyfluthrin | Rooibos | 0.05 |
| Bifenthrin | Soya beans | 0.5 |
| Bixafen | Maize | 0.01 |
| Boscalid (boscalid) | Berries group | 0.5 |
| | Onion bulb group | 0.2 |
| | Pepper group | 2.0 |
| | Persimmons | 0.04 |
| | Strawberries | 5.0 |
| | Sunflower | 1.0 |
| | Tomatoes | 3.0 |
| | Tree nuts | 1.0 |
| | | |

| I | II | III |
|-------------------------------|-------------------------------------|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| Chlorantraniliprole | Brassica vegetables or cruciferae | 2.0 |
| | Citrus group | 0.5 |
| | Cotton | 1.0** |
| | Cucurbits group | 0.3 |
| | Ginger | 0.02 |
| | Hops | 40.0 |
| | Leguminous beans group | 0.01 |
| | Lettuce | 5.0 |
| | Pepper group | 0.5 |
| | Pomegranates | 0.4 |
| | Potatoes | 0.05 |
| | Root and tuber vegetables group | 0.02 |
| | Sorghum | 0.3 |
| | Stone fruits | 1.0 |
| | Sugar cane | 0.2 |
| | Sweet corn | 1.0** |
| | Tomatoes | 0.5 |
| | Tree nuts | 0.1 |
| Chlorothalonil | Carrots | 1.0 |
| | Celery | 10.0 |
| | Leguminous beans group | 3.0 |
| | Onion bulb group | 0.5 |
| | Pepper group | 1.0 |
| Chlorpyrifos | Canola | 0.3 |
| Clethodim | Apples, citrus group, grapes, pears | 0.01 |
| | and stone fruits | |
| | Canola | 0.1 |
| Clomazone | Sugar cane | 0.01 |
| Clothianidin | Bananas | 0.02 |
| | Sugar cane | 0.02 |
| Cyflufenamid | Cucurbits group | 0.1 |
| Cymoxanil | Leguminous beans group | 0.05 |
| Cypermethrin (sum of isomers) | Canola | 0.5 |
| Cyproconazole | Canola | 0.1 |
| | Sorghum | 0.2 |
| | Sugar cane | 0.01 |

No. 43008 **9**

| I | II | III |
|--------------------------|-------------------------------------|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| Cyprodinil | Avocados | 0.05 |
| | Basil, borage, chamomile, chive, | 0.5 |
| | coriander, parsley and rosemary | |
| | Berries group | 3.0 |
| | Brassica vegetables or cruciferae | 0.05 |
| | Carrots, onion bulb group, root and | 0.05 |
| | tuber vegetables group | |
| | Cucurbits group | 0.5 |
| | Kiwi | 2.0 |
| | Leguminous beans group | 0.05 |
| | Lettuce and spinach | 0.5 |
| | Litchis | 0.5 |
| | Mangoes | 0.5 |
| 5 | Papayas | 2.0 |
| | Stone fruits | 0.5 |
| | Strawberries | 3.0 |
| | Tree nuts | 1.0 |
| Cyromazine (sum of | Amaranthussp, cress, lettuce, leafy | 0.5 |
| cyromazine and melamine) | vegetables and spinach | |
| | Brassica vegetables or cruciferae | 1.0 |
| | and turnips | |
| | Cucurbits group | 1.0 |
| | Leguminous beans group | 0.5 |
| | Onion bulb group | 1.0 |
| | Pepper group | 0.5 |
| | Potatoes | 1.0 |
| Difenoconazole | Brassica vegetables or cruciferae | 0.5 |
| | Cucurbits group | 0.1 |
| | Ginger and root and tuber | 0.01 |
| | vegetables group | |
| | Olives and onion bulb group | 0.05 |
| | Pepper group | 0.5 |
| | Sorghum | 0.05 |
| | Stone fruits | 2.0 |
| + | Strawberries | 0.1 |
| | Tree nuts | 0.01 |
| | | |

| I | II | III |
|--------------------------------|---|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| Dimethyl didecyl ammonium | Avocados | 5.0 |
| chloride | Citrus group | 6.0 |
| Dithianon | Grapes | 3.0 |
| Emamectin benzoate | Brassica vegetables or cruciferae | 0.01 |
| | Canola | 0.05 |
| | Celery, lettuce and spinach | 0.01 |
| | Pepper group | 0.01 |
| | Strawberries | 0.04 |
| | Sweet corn | 0.1 |
| | Tree nuts | 0.01 |
| Epoxiconazole | Wheat | 0.05 |
| Esfenvalerate (sum of isomers) | Rooibos | 0.01 |
| Etoxazole (etoxazole) | Citrus group | 0.2 |
| Fenazaquin* | Grapes | 0.2 |
| Fenpyroximate | Citrus group | 0.2 |
| Fluazinam | Potatoes | 0.01 |
| Flubendiamide | Basil, coriander and parsley | 15.0 |
| | Brassica vegetables or cruciferae | 3.0 |
| | excluding cabbage | |
| | Chinese cabbage and mustard | 10.0 |
| | Cucurbits group | 0.2 |
| | Endive, lettuce and spinach | 10.0 |
| | Leafy vegetables (except parsley and endive) | 5.0 |
| | Pepper group | 2.0 |
| Flucarbazone-sodium | Wheat | 0.01 |
| Fludioxonil | Apples and pears | 5.0 |
| | Avocados | 0.05 |
| | Basil, borage, chamomile, chive, coriander, parsley and rosemary | 0.5 |
| | Berries group | 3.0 |
| | Brassica vegetables or cruciferae | 0.05 |
| | Carrots and root and tuber vegetables group (except sweet potatoes) | 0.05 |
| | Citrus group | 10.0 |

| I | II | III |
|-------------------------|------------------------|-------------|
| Chemical Substance | Foodstuff | MRL (mg/kg) |
| | Cucurbits group | 0.5 |
| | Kiwi | 15.0 |
| | Leguminous beans group | 0.05 |
| | Lettuce and tomatoes | 0.05 |
| | Litchis | 20.0 |
| | Mangoes | 1.0 |
| | Onion bulb group | 0.5 |
| | Papayas | 5.0 |
| | Pomegranate | 3.0 |
| | Spinach | 0.5 |
| | Stone fruits | 5.0 |
| | Strawberries | 3.0 |
| | Sweet potatoes | 10.0 |
| | Tree nuts | 0.5 |
| Fluopicolide | Tomatoes | 0.5 |
| Fluopyram | Apples | 0.6 |
| | Berries group | 5.0 |
| | Carrots | 0.3 |
| | Grapes | 2.0 |
| | Lettuce | 5.0 |
| | Onion bulb group | 0.7 |
| | Pears | 0.5 |
| | Strawberries | 1.0 |
| Fluquinconazole | Canola | 0.01 |
| Fluroxypyr | Barley | 0.1 |
| | Maize | 0.05 |
| | Wheat | 0.1 |
| Fluxapyroxad | Apples and pears | 0.05 |
| | Barley and wheat | 0.01 |
| | Citrus | 0.3 |
| Fosetyl-Al (phosphorous | Citrus | 50.0 |
| Furfural | Apples | 0.1 |
| | Hops | 0.1 |
| Glufosinate ammonium | Potatoes | 0.05 |